Author Index to Volume 172

Abouaf-Marguin, L., see P. Brosset 172 (1993) 315
Ågren, H., see H. Koch 172 (1993) 13
Ågren, H. and H.J.Aa. Jensen, Relaxation and correlation contributions to molecular double core ionization energies 172 (1993) 45
Aguilar, A., see M. Gilibert 172 (1993) 99
Alonso, J.L., see D.G. Lister 172 (1993) 303

Bagnich, S.A. and A.V. Dorokhin, Percolation of triplet excitation of compound molecules in polymeric matrices 172 (1993) 153
Bakhshi, A.K., G. Paterlini, G. Némethy and J. Ladik, The investigation of the electronic structure of periodic and non-periodic collagen models 172 (1993) 259
Beddard, G.S., G.G. McFadyen, G.D. Reid and J.R.G. Thorne, Femtosecond optical processes in Durham polyacetylene and norbornylene–polyacetylene copolymer 172 (1993) 363
Belinskii, M., Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors 172 (1993) 189
Belinskii, M., Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems 172 (1993) 213
Boukheddaden, K., J. Linares and F. Varret, Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized–delocalized transition 172 (1993) 239
Brosset, P., R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi, Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites 172 (1993) 315
Buenker, R.J., see M. Honigmann 172 (1993) 59

Caballol, R., see J. Miralles 172 (1993) 33
Castaño, F., see R. Martínez 172 (1993) 349
Castell, O., see J. Miralles 172 (1993) 33
Charro, M.E., see D.G. Lister 172 (1993) 303

Dahoo, R., see P. Brosset 172 (1993) 315
Dorokhin, A.V., see S.A. Bagnich 172 (1993) 153
Dufour, C., see I. Hikmet 172 (1993) 147

Eggimann, T., see D.G. Lister 172 (1993) 303

Fischer, H., see R. Hany 172 (1993) 131

Gauthier-Roy, B., see P. Brosset 172 (1993) 315

Gilibert, M., A. Aguilar, M. González and R. Sayós, Quasiclassical trajectory study of the $N(^4S_u)+O_2(X\,^3\Sigma_g^-)\rightarrow NO(X\,^2\Pi)+O(^3P_g)$ atmospheric reaction on the $^2A'$ ground potential energy surface employing an analytical Sorbie–Murrell potential 172 (1993) 99
Gomperts, S.N., J.E. Variyar, M. Greenfield, Y.-C. Shen and D. Kivelson, Dynamic light-scattering studies of longitudinal and shear waves in a molecular liquid 172 (1993) 117
González, M., see M. Gilibert 172 (1993) 99
Greenfield, M., see S.N. Gomperts 172 (1993) 117
Grigoriev, I.A., see A.A. Obynochny 172 (1993) 295

Hany, R. and H. Fischer, Absolute chemically induced nuclear polarizations from the photodissociation of phenylsubstituted ketones. Radical pair precursor states and memory effects 172 (1993) 131
Hayes, M.A., see D.A. Shaw 172 (1993) 187
Helgaker, T., see H. Koch 172 (1993) 13
Hikmet, I., C. Dufour and B. Pinchemel, Rotational analysis of the a $^3\Sigma^+$–X $^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited b $^3\Pi_1$ state 172 (1993) 147
Hirsch, G., see M. Honigmann 172 (1993) 59
Holland, D.M.P., see D.A. Shaw 172 (1993) 187
Honigmann, M., G. Hirsch and R.J. Buenker, Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule 172 (1993) 59
Hopkirk, A., see D.A. Shaw 172 (1993) 187

Jalviste, E. and A. Treshchalov, Spectroscopy of jet-cooled benzimidazole and benzotriazole 172 (1993) 325
Jensen, H.J.Aa., see H. Koch 172 (1993) 13
Jensen, H.J.Aa., see H. Ågren 172 (1993) 45
Jørgensen, P., see H. Koch 172 (1993) 13
Juha, L., see L. Láska 172 (1993) 377

Kazakov, V.A., see J. Somlói 172 (1993) 85
Kivelson, D., see S.N. Gomperts 172 (1993) 117
Koch, A. and S.D. Peyerimhoff, Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane 172 (1993) 21
Koch, H., H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen, Large scale random phase calculations for direct self-consistent field wavefunctions 172 (1993) 13
Kokpol, S., see P. Sompornpisut 172 (1993) 7
Krása, J., see L. Láska 172 (1993) 377
Kuntz, P.J., see R. Polák 172 (1993) 73

Ladik, J., see A.K. Bakhshi 172 (1993) 259
Lakhlifi, A., see P. Brosset 172 (1993) 315
Lami, A. and G. Villani, Optical dynamics in monodimensional aggregates with exciton–phonon coupling: a numerical investigation on the time-evolution of the optical doorway state 172 (1993) 285
Láska, L., J. Krása and L. Juha, Chemistry of iodine photodissociation lasers at the pyrolytic regime 172 (1993) 377
Linares, J., see K. Boukheddaden 172 (1993) 239

Lister, D.G., M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser, The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations 172 (1993) 303
Lopez, J.C., see D.G. Lister 172 (1993) 303
Lőrincz, A., see T. Szakács 172 (1993) 1

MacDonald, M.A., see D.A. Shaw 172 (1993) 187
Malrieu, J.-P., see J. Miralles 172 (1993) 33
Martínez, R., F. Castaño, M.N. Sánchez Rayo and R. Pereira, Electron-impact induced light emission from CF_2Br_2 and CF_2H_2 172 (1993) 349
Maryasov, A.G., see A.A. Obynochny 172 (1993) 295
McFadyen, G.G., see G.S. Beddard 172 (1993) 363
McSweeney, S.M., see D.A. Shaw 172 (1993) 187
Miralles, J., O. Castell, R. Caballol and J.-P. Malrieu, Specific CI calculation of energy differences: transition energies and bond energies 172 (1993) 33
Mortensen, S.O., see M. Pilch 172 (1993) 277

Némethy, G., see A.K. Bakhshi 172 (1993) 259

Obynochny, A.A., A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev, NMR study of stable radicals in the gas phase 172 (1993) 295

Paidarová, I., see R. Polák 172 (1993) 73
Paidarová, I., see J. Šavrda 172 (1993) 265
Paterlini, G., see A.K. Bakhshi 172 (1993) 259
Pawlikowski, M., see M. Pilch 172 (1993) 277
Penzkofer, A., see M. Wittmann 172 (1993) 339
Pereira, R., see R. Martínez 172 (1993) 349
Peyerimhoff, S.D., see A. Koch 172 (1993) 21
Pilch, M., M. Pawlikowski and O.S. Mortensen, Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow {}^1T_{1u}$ transitions in fullerene 172 (1993) 277
Pinchemel, B., see I. Hikmet 172 (1993) 147
Polák, R., I. Paidarová and P.J. Kuntz, Theoretical model and ab initio calculation of potential energy surfaces for the reaction $NH^{+\cdot}(^2\Pi) + H_2(^1\Sigma_g^+)$ 172 (1993) 73

Reid, G.D., see G.S. Beddard 172 (1993) 363
Rode, B.M., see P. Sompornpisut 172 (1993) 7

Sánchez Rayo, M.N., see R. Martínez 172 (1993) 349
Šavrda, J., J. Vojtík and I. Paidarová, Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}B^2H$, $^{10}B^2H$, and $^{10}B^1H$ in the double-minimum B $^1\Sigma^+$ electronic state 172 (1993) 265
Sayós, R., see M. Gilibert 172 (1993) 99
Shakirov, M.M., see A.A. Obynochny 172 (1993) 295
Shaw, D.A., D.M.P. Holland, M.A. MacDonald, A. Hopkirk, M.A. Hayes and S.M. McSweeney, A study of the absolute photoabsorption cross section and the photoionization quantum efficiency of nitrogen from the ionization threshold to 485 Å (Chem. Phys. 166 (1992) 379). Erratum 172 (1993) 187

Shen, Y.-C., see S.N. Gomperts 172 (1993) 11
Somlói, J., see T. Szakács 172 (1993)
Somlói, J., V.A. Kazakov and D.J. Tannor, Controlled dissociation of I_2 via optical transitions between the X and B electronic states 172 (1993) 8
Sompornpisut, P., S. Kokpol and B.M. Rode, Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation 172 (1993)
Szakács, T., J. Somlói and A. Lőrincz, Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions 172 (1993)

Tannor, D.J., see J. Somlói 172 (1993) 8
Thorne, J.R.G., see G.S. Beddard 172 (1993) 36
Treshchalov, A., see E. Jalviste 172 (1993) 32

Variyar, J.E., see S.N. Gomperts 172 (1993) 11
Varret, F., see K. Boukheddaden 172 (1993) 23
Villani, G., see A. Lami 172 (1993) 28
Vojtík, J., see J. Šavrda 172 (1993) 26
Von Nagy-Felsobuki, E.I., see F. Wang 172 (1993) 24

Wang, F. and E.I. von Nagy-Felsobuki, Variational calculations of rovibrational states of Li_2K 172 (1993) 24
Wieser, H., see D.G. Lister 172 (1993) 30
Williams, J.H., Modeling the vibrational dynamics of solid benzene:hexafluorobenzene. The anatomy of a phase transition 172 (1993) 17
Wittmann, M. and A. Penzkofer, Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol 172 (1993) 33

Subject Index to Volume 172

Methods

Theoretical

Coupling schemes and perturbative treatments

Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somlói and A. Lőrincz 172 (1993) 1
Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors, M. Belinskii 172 (1993) 189
Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Equilibrium statistical mechanics

Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation, P. Sompornpisut, S. Kokpol and B.M. Rode 172 (1993) 7
Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized–delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239

Ab initio schemes for stationary properties

Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
Specific CI calculation of energy differences: transition energies and bond energies, J. Miralles, O. Castell, R. Caballol and J.-P. Malrieu 172 (1993) 33
Relaxation and correlation contributions to molecular double core ionization energies, H. Ågren and H.J.Aa. Jensen 172 (1993) 45
Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
Theoretical model and ab initio calculation of potential energy surfaces for the reaction $NH^{+\cdot}(^2\Pi) + H_2(^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
Variational calculations of rovibrational states of Li_2K, F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259
Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}B^2H$, $^{10}B^2H$, and $^{10}B^1H$ in the double-minimum B $^1\Sigma^+$ electronic state, J. Šavrda, J. Vojtík and I. Paidarová 172 (1993) 265

Computational and simulation methods

Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somlói and A. Lőrincz 172 (1993) 1

Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation, P. Sompornpisut, S. Kokpol and B.M. Rode 172 (1993) 7

Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13

Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somlói, V.A. Kazakov and D.J. Tannor 172 (1993) 85

Quasiclassical trajectory study of the $N(^4S_u)+O_2(X\ ^3\Sigma_g^-)\rightarrow NO(X\ ^2\Pi)+O(^3P_g)$ atmospheric reaction on the $^2A'$ ground potential energy surface employing an analytical Sorbie–Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99

Variational calculations of rovibrational states of Li_2K, F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247

Magnetic circular dichroism (MCD) study of low-energy $^1A_g\rightarrow{}^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277

Optical dynamics in monodimensional aggregates with exciton–phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285

Molecular dynamics and scattering theory

Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somlói, V.A. Kazakov and D.J. Tannor 172 (1993) 85

Quasiclassical trajectory study of the $N(^4S_u)+O_2(X\ ^3\Sigma_g^-)\rightarrow NO(X\ ^2\Pi)+O(^3P_g)$ atmospheric reaction on the $^2A'$ ground potential energy surface employing an analytical Sorbie–Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99

Dynamic light-scattering studies of longitudinal and shear waves in a molecular liquid, S.N. Gomperts, J.E. Variyar, M. Greenfield, Y.-C. Shen and D. Kivelson 172 (1993) 117

Experimental

Magnetic resonances

Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131

NMR study of stable radicals in the gas phase, A.A. Obynochny, A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev 172 (1993) 295

Microwave spectroscopy

The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303

Infrared spectroscopy

Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315

Visible and UV spectroscopy
Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
Rotational analysis of the a $^3\Sigma^+$–X $^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited b $^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147
Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow {}^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277
Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Fluorescence spectroscopy
Rotational analysis of the a $^3\Sigma^+$–X $^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited b $^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147
Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

Electron impact spectroscopy
Electron-impact induced light emission from CF_2Br_2 and CF_2H_2, R. Martínez, F. Castaño, M.N. Sánchez Rayo and R. Pereira 172 (1993) 349

Non-linear optical spectroscopy
Femtosecond optical processes in Durham polyacetylene and norbornylene–polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Optical pumping
Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377

Time-resolved experiments
Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
Femtosecond optical processes in Durham polyacetylene and norbornylene–polyacetylene copolymer, G,S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Neutron scattering
Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171

Objects

Bulk systems

Gases
Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21

Variational calculations of rovibrational states of Li_2K, F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
NMR study of stable radicals in the gas phase, A.A. Obynochny, A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev 172 (1993) 295
Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377

Supersonic beams
Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Liquids mixtures and solutions
Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

Crystals
Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315

Glasses
Dynamic light-scattering studies of longitudinal and shear waves in a molecular liquid, S.N. Gomperts, J.E. Variyar, M. Greenfield, Y.-C. Shen and D. Kivelson 172 (1993) 117

Polymers
Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259
Femtosecond optical processes in Durham polyacetylene and norbornylene–polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Plasmas
Electron-impact induced light emission from CF_2Br_2 and CF_2H_2, R. Martínez, F. Castaño, M.N. Sánchez Rayo and R. Pereira 172 (1993) 349

Biological systems
The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259

Microscopic systems

Molecules (neutral and ionic)
Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somlói and A. Lőrincz 172 (1993) 1
Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13
Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
Specific CI calculation of energy differences: transition energies and bond energies, J. Miralles, O. Castell, R. Caballol and J.-P. Malrieu 172 (1993) 33

Relaxation and correlation contributions to molecular double core ionization energies, H. Ågren and H.J.Aa. Jensen 172 (1993) 45
Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}B^2H$, $^{10}B^2H$, and $^{10}B^1H$ in the double-minimum B $^1\Sigma^+$ electronic state, J. Šavrda, J. Vojtík and I. Paidarová 172 (1993) 265
Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow {}^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277

–diatomic
Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59
Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somlói, V.A. Kazakov and D.J. Tannor 172 (1993) 85
Quasiclassical trajectory study of the $N(^4S_u)+O_2(X\ ^3\Sigma_g^-) \rightarrow NO(X\ ^2\Pi)+O(^3P_g)$ atmospheric reaction on the $^2A'$ ground potential energy surface employing an analytical Sorbie–Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99
Rotational analysis of the a $^3\Sigma^+$–X $^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited b $^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147

–small polyatomics
Theoretical model and ab initio calculation of potential energy surfaces for the reaction $NH^{+\cdot}(^2\Pi)+H_2(^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
Variational calculations of rovibrational states of Li_2K, F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247
The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303
Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315

–aromatics
Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow {}^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277
Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325
Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

–other large
Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377

–polymeric and biological
The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259

Molecular aggregates
Optical dynamics in monodimensional aggregates with exciton–phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285

–dimers
Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

–clusters
Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153
Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors, M. Belinskii 172 (1993) 189
Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Free radicals (including hydronium and muonium)
Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377

Quasiparticles (including excitions)
Femtosecond optical processes in Durham polyacetylene and norbornylene–polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Ions and charge carriers
Li^+ in liquid hydroxylamine: intermolecular potential function and Monte Carlo simulation, P. Sompornpisut, S. Kokpol and B.M. Rode 172 (1993) 7
Theoretical model and ab initio calculation of potential energy surfaces for the reaction $NH^{+\cdot}(^2\Pi) + H_2(^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73

Phenomena

Molecular structure
Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21
Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}B^2H$, $^{10}B^2H$, and $^{10}B^1H$ in the double-minimum B $^1\Sigma^+$ electronic state, J. Šavrda, J. Vojtík and I. Paidarová 172 (1993) 265
The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303

Vibrations and rotations of molecules

Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somlói and A. Lőrincz 172 (1993) 1

Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59

Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171

Variational calculations of rovibrational states of Li_2K, F. Wang and E.I. von Nagy-Felsobuki 172 (1993) 247

Ab initio calculation of nuclear quadrupole coupling constants of rovibrational levels of $^{11}B^2H$, $^{10}B^2H$, and $^{10}B^1H$ in the double-minimum B $^1\Sigma^+$ electronic state, J. Šavrda, J. Vojtík and I. Paidarová 172 (1993) 265

The conformation and ring-puckering vibration of 2-methyloxetane from microwave spectroscopy and ab initio computations, D.G. Lister, M.E. Charro, J.C. Lopez, J.L. Alonso, T. Eggimann and H. Wieser 172 (1993) 303

Analysis of IR absorption spectrum of O_3 in inert matrices: spectroscopic evidence for two trapping sites, P. Brosset, R. Dahoo, B. Gauthier-Roy, L. Abouaf-Marguin and A. Lakhlifi 172 (1993) 315

Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Electronic structure and states

Large scale random phase calculations for direct self-consistent field wavefunctions, H. Koch, H. Ågren, P. Jørgensen, T. Helgaker and H.J.Aa. Jensen 172 (1993) 13

Specific CI calculation of energy differences: transition energies and bond energies, J. Miralles, O. Castell, R. Caballol and J.-P. Malrieu 172 (1993) 33

Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59

Theoretical model and ab initio calculation of potential energy surfaces for the reaction $NH^{+\cdot}(^2\Pi) + H_2(^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73

Rotational analysis of the a $^3\Sigma^+$–X $^1\Sigma^+$ transition of CuBr enhanced by transfer from laser-excited b $^3\Pi_1$ state, I. Hikmet, C. Dufour and B. Pinchemel 172 (1993) 147

Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors, M. Belinskii 172 (1993) 189

Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

The investigation of the electronic structure of periodic and non-periodic collagen models, A.K. Bakhshi, G. Paterlini, G. Némethy and J. Ladik 172 (1993) 259

Spectroscopy of jet-cooled benzimidazole and benzotriazole, E. Jalviste and A. Treshchalov 172 (1993) 325

Electric and magnetic properties

Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors, M. Belinskii 172 (1993) 189

Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Spin splittings

Spin coupling model for tetrameric iron clusters in ferredoxins. I. Theory, exchange levels, *g*-factors, M. Belinskii 172 (1993) 189

Spin coupling model for tetrameric iron clusters in ferredoxins. II. Hyperfine interactions, magnetism, high-spin systems, M. Belinskii 172 (1993) 213

Optical activity

Magnetic circular dichroism (MCD) study of low-energy $^1A_g \rightarrow {}^1T_{1u}$ transitions in fullerene, M. Pilch, M. Pawlikowski and O.S. Mortensen 172 (1993) 277

Molecular interactions

Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171

NMR study of stable radicals in the gas phase, A.A. Obynochny, A.G. Maryasov, M.M. Shakirov and I.A. Grigoriev 172 (1993) 295

Spectral bandshapes and intensities

Theoretical study of the optical and generalized oscillator strengths for transitions between low-lying electronic states of the BF molecule, M. Honigmann, G. Hirsch and R.J. Buenker 172 (1993) 59

Coupling of electronic and nuclear motion

Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized–delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239

Optical dynamics in monodimensional aggregates with exciton–phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285

Energy transfer processes

Multireference configuration interaction calculations of the vertical K-shell excitation spectrum of di-fluoro-silane, A. Koch and S.D. Peyerimhoff 172 (1993) 21

Percolation of triplet excitation of compound molecules in polymeric matrices, S.A. Bagnich and A.V. Dorokhin 172 (1993) 153

Optical dynamics in monodimensional aggregates with exciton–phonon coupling: a numerical investigation on the time-evolution of the optical doorway state, A. Lami and G. Villani 172 (1993) 285

Molecular photophysical processes

Optimization of harmonic oscillator wavefunction squeezing in pulsed electronic transitions, T. Szakács, J. Somlói and A. Lőrincz 172 (1993) 1

Intramolecular dynamics

Controlled dissociation of I_2 via optical transitions between the X and B electronic states, J. Somlói, V.A. Kazakov and D.J. Tannor 172 (1993) 85

Luminescence spectra, yields and lifetimes

Concentration-dependent absorption and emission behaviour of sulforhodamine B in ethylene glycol, M. Wittmann and A. Penzkofer 172 (1993) 339

Electron-impact induced light emission from CF_2Br_2 and CF_2H_2, R. Martínez, F. Castaño, M.N. Sánchez Rayo and R. Pereira 172 (1993) 349

Non-linear responses (including optical)
Femtosecond optical processes in Durham polyacetylene and norbornylene–polyacetylene copolymer, G.S. Beddard, G.G. McFadyen, G.D. Reid and J.R.G. Thorne 172 (1993) 363

Reactions (including dissociation)

–gas phase
Theoretical model and ab initio calculation of potential energy surfaces for the reaction $NH^{+\cdot}(^2\Pi)+H_2(^1\Sigma_g^+)$, R. Polák, I. Paidarová and P.J. Kuntz 172 (1993) 73
Quasiclassical trajectory study of the $N(^4S_u)+O_2(X\ ^3\Sigma_g^-)\rightarrow NO(X\ ^2\Pi)+O(^3P_g)$ atmospheric reaction on the $^2A'$ ground potential energy surface employing an analytical Sorbie–Murrell potential, M. Gilibert, A. Aguilar, M. González and R. Sayós 172 (1993) 99

–photochemical
Absolute chemically induced nuclear polarizations from the photodissociation of phenyl-substituted ketones. Radical pair precursor states and memory effects, R. Hany and H. Fischer 172 (1993) 131
Chemistry of iodine photodissociation lasers at the pyrolytic regime, L. Láska, J. Krása and L. Juha 172 (1993) 377

Electron transfer
Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized–delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239

Ionization (including Rydberg states)
Relaxation and correlation contributions to molecular double core ionization energies, H. Ågren and H.J.Aa. Jensen 172 (1993) 45

Molecular motion (including diffusive)
Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171

Phase transitions
Modeling the vibrational dynamics of solid benzene: hexafluorobenzene. The anatomy of a phase transition, J.H. Williams 172 (1993) 171
Thermodynamic properties of coupled mixed-valence molecules using a cooperative PKS theory: A second-order localized–delocalized transition, K. Boukheddaden, J. Linares and F. Varret 172 (1993) 239